

Appl. No. : 10/066,500
Filed : February 1, 2002

AMENDMENTS TO THE CLAIMS

1-39 (Cancelled)

40. (Currently Amended) An isolated nucleic acid having at least 80% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);
 - (b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;
 - ~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~
 - ~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~
 - (c)(e) the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);
 - (d)(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or
 - (e)(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203406;
- wherein said isolated nucleic acid encodes a polypeptide having the ability to induce c-fos expression.

41. (Currently Amended) The isolated nucleic acid of Claim 40 having at least 85% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);
 - (b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;
 - ~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~
 - ~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~
 - (c)(e) the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);
 - (d)(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or
 - (e)(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203406;
- wherein said isolated nucleic acid encodes a polypeptide having the ability to induce c-fos expression.

42. (Currently Amended) The isolated nucleic acid of Claim 40 having at least 90% nucleic acid sequence identity to:

Appl. No. : 10/066,500
 Filed : February 1, 2002

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);
 (b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;
~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~
~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~
 (c)(e) the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);
 (d)(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or
 (e)(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203406-; wherein said isolated nucleic acid encodes a polypeptide having the ability to induce c-fos expression.

43. (Currently Amended) The isolated nucleic acid of Claim 40 having at least 95% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);
 (b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;
~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~
~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~
 (c)(e) the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);
 (d)(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or
 (e)(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203406-; wherein said isolated nucleic acid encodes a polypeptide having the ability to induce c-fos expression.

44. (Currently Amended) The isolated nucleic acid of Claim 40 having at least 99% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);
 (b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;
~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~
~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~
 (c)(e) the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);

Appl. No. : 10/066,500
Filed : February 1, 2002

~~(d)(f)~~ the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or

~~(e)(g)~~ the full-length coding sequence of the cDNA deposited under ATCC accession number 203406;

wherein said isolated nucleic acid encodes a polypeptide having the ability to induce c-fos expression.

45. (Currently Amended) An isolated nucleic acid comprising:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);

(b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;

~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~

~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~

~~(e)~~ the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);

~~(d)(f)~~ the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or

~~(e)(g)~~ the full-length coding sequence of the cDNA deposited under ATCC accession number 203406.

46. (Previously Presented) The isolated nucleic acid of Claim 45 comprising a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9).

47. (Previously Presented) The isolated nucleic acid of Claim 45 comprising a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide.

48. (Cancelled)

49. (Cancelled)

50. (Previously Presented) The isolated nucleic acid of Claim 45 comprising the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8).

51. (Previously Presented) The isolated nucleic acid of Claim 45 comprising the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8).

52. (Previously Presented) The isolated nucleic acid of Claim 45 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203406.

Appl. No. : 10/066,500
Filed : February 1, 2002

53. (Currently Amended) An isolated nucleic acid that hybridizes under stringent conditions to:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9);

(b) a nucleic acid sequence encoding the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;

~~(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9);~~

~~(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 4 (SEQ ID NO:9), lacking its associated signal peptide;~~

~~(c)(e)~~ the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8);

~~(d)(f)~~ the full-length coding sequence of the nucleic acid sequence shown in Figure 3 (SEQ ID NO:8); or

~~(e)(g)~~ the full-length coding sequence of the cDNA deposited under ATCC accession number 203406;

wherein the stringent conditions comprise:

50% formamide;

5 x SSC (0.75 M NaCl, 0.075 M sodium citrate);

50 mM sodium phosphate (pH 6.8);

0.1% sodium pyrophosphate;

5 x Denhardt's solution;

sonicated salmon sperm DNA (50 micrograms/ml)

0.1% SDS, and 10% dextran sulfate at 42°C;

washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50%

formamide at 55°C; and

a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

54. (Cancelled)

55. (Cancelled)

56. (Previously Presented) A vector comprising the nucleic acid of Claim 40.

57. (Previously Presented) The vector of Claim 56, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.

58. (Previously Presented) A host cell comprising the vector of Claim 56.

59. (Previously Presented) The host cell of Claim 58, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.

Appl. No. : 10/066,500
Filed : February 1, 2002

Please charge any additional fees which may be required, including any fees for additional extension of time, or credit overpayment to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated:

Sept. 2, 2004

By

AnneMarie Kaiser

Registration No. 37,649

Attorney of Record

Customer No. 30,313

(619) 235-8550

S:\DOCS\AOK\AOK-5700.DOC
090104

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.